

LOWA

(203) 353.0116 Tel (203) 353.0311 Fax
(888) 335.5692 Toll free www.lowaboos.com

LOWA

86 Viaduct Road
Stamford, CT 06907

LOWA boots are warranted to be free from defects in workmanship and materials for a period of 12 months from the date of purchase. Your exclusive remedy for break of such warranty is repair or replacement of your LOWA boots at LOWA's discretion. If your LOWA boots need repair or replacement due to defect in workmanship or materials, simply return them to the LOWA dealer where you purchased them. You will need proof of purchase. Make sure that your return request falls within 12 months from the date of purchase.

• See our website at LOWAboos.com for directory listing of our dealers and warranty FAQ's. Please note that fit, paint thinner and lawn chemicals void the warranty.
• "Fit" is not covered in the warranty. You do the fitting, not us!

All product weights are based on men's 9 and women's 6.5. Color and product details subject to change. Actual colors may vary from printed catalog. Additional product descriptions and tech specifications available at www.lowaboos.com/about/ GORE-TEX® is a registered trademark of W.L. Gore & Associates Inc. VIBRAM, the Octagon Logo, and the Yellow Octagon Logo and the color Canary Yellow are registered trademarks of Vibram S.p.A. © 2011 LOWA Boots, LLC.



FIND LOWA BOOTS ON
FACEBOOK AND TWITTER.



PRINTED ON RECYCLED STOCK.

LOWA | 2011

TASKFORCE | WORK BOOT

Performance. It's All About the Details

Going the extra mile with design details like our MONOWRAP® construction to keep boots lightweight yet super stable. Using extra-rugged 2.2mm split leather on our Desert boots to ensure durability and protection. These are the design details that have earned LOWA's reputation for building the world's most comfortable performance boots since 1923.

LOWA is the only outdoor footwear manufacturer to hold ISO 9001 status for highest quality construction & process standards.

ELITE DESERT



So tough, breathable and lightweight that it's used by the British M.O.D. under the harshest conditions.

UPPER	2.0-2.2 mm split leather & fabric, durable rubber toe cap protection	MIDSOLE	PU for cushioning and support
LINING	Quick drying fabric	OUTSOLE	Vibram® MVS
FOOTBED	Climate control	STABILIZER	5mm nylon
		WEIGHT	1660 grams

ITEM #	COLOR	SIZES
2108780411	desert	8 - 12, 13, 14
2608780410	desert	15, 16 - EXTRA
2108790410	desert	8 - 12, 13, 14 - WXL
2608790410	desert	15, 16 - WXL-EXTRA

ELITE DESERT WS NEW



So tough, breathable and lightweight that it's used by the British M.O.D. under the harshest conditions. Made on a women's specific last.

UPPER	2.0-2.2 mm split leather and fabric, durable rubber toe cap protection	MIDSOLE	PU for cushioning and support
LINING	Quick drying fabric	OUTSOLE	Vibram® MVS
FOOTBED	Climate control	STABILIZER	5mm nylon
		WEIGHT	N/A

ITEM #	COLOR	SIZES
2208780410	desert	5 - 10.5
2208790410	desert	5 - 10.5 - WXL

URBAN DESERT



UPLANDER DESERT



ZEPHYR GTX® HI



ZEPHYR GTX® MID UPDATED



ZEPHYR GTX® MID WS NEW



When stealth is important in desert environments.

UPPER Sand split leather and fabric, laces and thread are invisible
MIDSOLE Sand colored PU
OUTSOLE Vibram® Anaconda
LINING Quick drying fabric
STABILIZER 5mm nylon in heel, 4mm nylon in forefront
FOOTBED Climate control
WEIGHT 1630 grams

Lightweight, tall shafted, desert and field boot.

UPPER Split leather/Cordura®
MIDSOLE Sand colored PU
OUTSOLE Vibram® Vialta
LINING Quick drying fabric
STABILIZER 7/8 length, medium
FOOTBED Climate control
WEIGHT 1320 grams

Lightweight, tall, waterproof/breathable desert boot with Monowrap® frame technology.

UPPER Split leather/Cordura®
MIDSOLE PU with MONOWRAP® construction for stability
LINING GORE-TEX®
OUTSOLE Cross
STABILIZER 3/4 length, stiff
FOOTBED Climate control
WEIGHT 1200 grams

Durable light everyday patrol shoe. Ideal for urban and park use. Flexible enough to run in. Now available in two new colors, light olive and grey.

UPPER Split leather/Cordura®
LINING GORE-TEX®
FOOTBED Climate control
MIDSOLE PU with MONOWRAP® construction for stability
OUTSOLE Cross
STABILIZER 3/4 length
WEIGHT 1100 grams

Durable light everyday patrol shoe. Ideal for urban & park use. Flexible enough to run in. Made on a women's specific last.

UPPER Split leather/Cordura®
LINING GORE-TEX®
FOOTBED Climate control
MIDSOLE PU with MONOWRAP® construction for stability
OUTSOLE Cross
STABILIZER 3/4 length
WEIGHT 890 grams

ITEM #	COLOR	SIZES
0910360411	desert	8 - 12, 13, 14

ITEM #	COLOR	SIZES
3102440410	desert	8 - 12, 13, 14, 15
3102440930	grey	8 - 12, 13, 14, 15

ITEM #	COLOR	SIZES
3105320410	desert	8 - 12, 13, 14

ITEM #	COLOR	SIZES
3105370999	black	8 - 12, 13, 14
3105370411	desert	8 - 12, 13, 14

ITEM #	COLOR	SIZES
3105850747	light olive	8 - 12, 13, 14
3105850930	grey	8 - 12, 13, 14

ITEM #	COLOR	SIZES
3205370411	desert	5.5 - 11

ZEPHYR DESERT



VENTO LO



CIVETTA EXTREME



COMBAT GTX® UPDATED



MOUNTAIN GTX® UPDATED



MEGA CAMP



Breathable lightweight boot for everyday use in desert and hot climates. Flexible enough to run in.

Light weight breathable service shoe. Flexible enough to run in.

A tough crampon-compatible boot, designed for demanding expeditions under the hardest conditions.

Tall ankle shaft for extra support in difficult terrain and when carrying heavy loads. Waterproof/breathable.

Top-class model for difficult terrain. Waterproof/breathable.

Tall ankle shaft for extra support in difficult terrain and when carrying heavy loads. Ideal for dry climates.

UPPER Split leather/Cordura® **MIDSOLE** PU with MONOWRAP® construction for stability

LINING Quick drying fabric **OUTSOLE** Cross

FOOTBED Climate control **STABILIZER** 3/4 length

WEIGHT 1090 grams

UPPER Split leather/Cordura® **MIDSOLE** PU with MONOWRAP® construction for stability

LINING Quick drying fabric **OUTSOLE** Cross

FOOTBED Climate control **STABILIZER** 3/4 length

WEIGHT 950 grams

UPPER Plastic shell with rubber toe band **MIDSOLE** Supportive PU

LINING GORE-TEX® for climate control & waterproofness **OUTSOLE** Vibram® Alpine

FOOTBED Climate control **STABILIZER** N/A

WEIGHT 2600 grams

UPPER 2.5-2.7mm full grain leather **MIDSOLE** PU for cushioning and comfortable walking

LINING GORE-TEX® **OUTSOLE** Vibram® Tsavo

FOOTBED Climate control **STABILIZER** 5 mm nylon

WEIGHT 1890 grams

UPPER 2.5-2.7 mm full grain leather **MIDSOLE** PU for cushioning and comfortable walking

LINING GORE-TEX® **OUTSOLE** Vibram® Tsavo

FOOTBED Climate control **STABILIZER** 5 mm nylon

WEIGHT 1730 grams

UPPER Sturdy, water-repellent full grain leather **MIDSOLE** PU for cushioning and comfortable walking

LINING Leather **OUTSOLE** Vibram® Tsavo

FOOTBED Climate control **STABILIZER** 5 mm nylon

WEIGHT 1920 grams

ITEM #	COLOR	SIZES
3105350411	desert	8 - 12, 13, 14

ITEM #	COLOR	SIZES
3105390999	black	8 - 12, 13, 14

ITEM #	COLOR	SIZES
1134100999	black	7.5 - 12, 13, 14, 15

ITEM #	COLOR	SIZES
2108680999	black	8 - 12, 13, 14
2108690999	black	15, 16 - EXTRA

ITEM #	COLOR	SIZES
2108660999	black	8 - 12, 13, 14
2108670999	black	15, 16 - EXTRA

ITEM #	COLOR	SIZES
2117800999	black	8 - 12, 13, 14

Photo incorrect: shaft hooks will be changed to closed loops in production.

Photo incorrect: shaft hooks will be changed to closed loops in production.

SUPER CAMP



Ideal for dry climates.

UPPER	2.5-2.7 full grain leather	MIDSOLE	PU for cushioning and comfortable walking
LINING	Leather	OUTSOLE	Vibram® Tsavo
FOOTBED	Climate control	STABILIZER	5 mm nylon
		WEIGHT	1860 grams

ITEM #	COLOR	SIZES
2108400999	black	8 - 12, 13, 14

URBAN MILITARY



All outer materials including laces have been chosen for low IR-reflection. Special order only.

UPPER	Full grain leather with open and breathable Cordura®	MIDSOLE	PU for cushioning and support, with SPS inserts
LINING	Quick drying fabric	OUTSOLE	Vibram® Anaconda
FOOTBED	Climate control	STABILIZER	5 mm nylon
		WEIGHT	1540 grams

ITEM #	COLOR	SIZES
2108540999	black	8 - 12, 13, 14

UPLANDER GTX® *UPDATED*



Light weight duty boot, tall shaft for support. Waterproof/breathable.

UPPER	Full grain leather with open and breathable Cordura®	MIDSOLE	PU for cushioning and support, with SPS inserts
LINING	GORE-TEX®	OUTSOLE	Vibram® Vialta
FOOTBED	Climate control	STABILIZER	7/8 length, medium
		WEIGHT	1540 grams

ITEM #	COLOR	SIZES
3102430999	black	8 - 12, 13, 14

Photo incorrect: shaft hooks will be changed to closed loops in production.

Safety Starts With the Right Details

LOWA's Work Boots are designed with comfort, support and safety in mind. Our proprietary MONOWRAP® construction allows us to build lightweight yet extremely supportive boots that carry all the key safety features needed for today's work environments. Steel toes and full-length steel shanks, full padded bellows tongue, anti-static soft fleece insoles, waterproof/breathable GORE-TEX® lasted linings, plus anti-slip, anti-static soles - those are the kind of details that are standard on LOWA Work Boots.

RENEGADE WORK GTX® LO



Versatile waterproof/breathable safety shoe. Meets EIN ISO 20345 Safety Shoe Requirements for S3 rating.

UPPER	Water-resistant Nubuck/Cordura®	MIDSOLE	PU with MONOWRAP® construction for stability
LINING	GORE-TEX®	OUTSOLE	Full, anti-static inlay
FOOTBED	Climate control		
SHANK	Steel		

ITEM #	COLOR	SIZES
5109109349	asphalt/navy	7.5 - 12, 13 14

RENEGADE WORK GTX® MID



Versatile waterproof/breathable safety boot. Steel toe and shank. Meets EIN ISO 20345 Safety Shoe Requirements for S3 rating.

UPPER	Water-resistant Nubuck/Cordura®	MIDSOLE	PU with MONOWRAP® construction for stability
LINING	GORE-TEX®	OUTSOLE	Full length anti-static inlay sole
FOOTBED	Climate control		
SHANK	Steel		

ITEM #	COLOR	SIZES
5109379349	asphalt/navy	7.5 - 12, 13 14

LOWA MONOWRAP® FRAME TECHNOLOGY

Our Monowrap® construction wraps the foot in a lightweight yet firmly supportive PU frame and allows us to use lightweight upper materials.

We use a softer PU in our midsoles, for better shock absorption and comfort underfoot. PU is the most durable midsole material available. Boots made with PU last at least twice as long as boots made with EVA midsoles. Consumers get better value for their money and fewer boots end up in the landfill.

A firmer PU (polyurethane) material is injected around the sides of the shoe, to wrap the foot in a lightweight, comfortable and supportive 'frame.'

MONOWRAP® technology is used on Taskforce Zephyr and Vento boots, as well as on the new Valdez and Gregal Work Boots.



Learn more details at www.lowaboos.com



VIBRAM® TSAVO

- VIBRAM® Trek Compound
- Toe-bumper for protection and grip
- 360 degree multi-traction lugs
- Lugged shank and undercut heel for traction on roots and logs
- Increased surface area for durability at toe and heel high-wear points
- Self cleaning lugs
- PU midsole for shock absorption & SPS technology for prevention of over-pronation & supination
- Cemented attachment - soles can be replaced



VIBRAM® MVS

- VIBRAM® Trek Compound
- SPS anti-pronation/supination zones lateral heel, medial forefoot reinforcement
- PU midsoles for shock absorption, cushioning and comfort
- Increased surface area at high-wear points for durability
- Thrust-lungs for forward traction, braking lugs for stopping
- Rounded heel for easy walking motion
- Cemented attachment - soles can be replaced



VIBRAM® ANACONDA

- Proprietary LOWA outsole
- Lightweight bi-injected PU midsole for underfoot cushioning and flex
- Pronation and supination zones in lug design provide added stability & help to balance the foot position
- Self-cleaning lug pattern
- Increased surface area
- Direct inject construction - soles cannot be replaced
- Also available in Sand



VIBRAM® VIALTA

- Easy to walk in
- PU midsole for good shock-absorption
- Excellent grip
- Light weight bi-injected, with pronation and supination zones in lug design for stability and balance
- Self cleaning lug pattern
- Direct inject construction; soles cannot be replaced



VIBRAM® VIALTA
Sand option



LOWA CROSS

- Hiking-oriented tread with a special adjustment of tread-elements
- Very good grip and traction on every surface
- Bi-injected PU frame for cushioning and assistance
- 3/4 length stabilizer, stiff

DIN EN ISO 20345 SAFETY SHOE REQUIREMENTS

S3 Basic shoe: supplemental: closed heel area, antistatic, heel energy absorption, water penetration and absorption resistance, penetration resistance, treaded sole

LOWA safety shoes meet the requirements of DIN EN ISO 20345:2004 and not only fulfill the basic requirements (SB), but also meet one of the corresponding supplementary requirements (S1,S2, S3). In addition, our products need the somewhat more stringent requirements of the now invalid DIN 4843 and DIN EN 345-1. Therefore, you have chosen a safety shoe with top safety and wearing features.